

NDDOT's use of the Transportation Enhancement Program to Restore Historic Bridges

GRAPARE PLAN

Bob Christensen – Cultural Resources Section Leader, NDDOT


						SUMMA	er or o	SMINOSONNA	es con	CHILDRE	200000						
		240.00	Acres A	Court ca	ment da	2408.04	BURTHAMA	Address.	SHOTE SAL	JWW. Parket	LIMITERY	Albert Karr	38005688	8850243	AMOUNT.	ARROAN.	450000
	School Co.	20034	2500	2000	-		-			-		The second	in the second	Street Section	- Parish	Chichelelan,	Standard
-	processor.	200	20.00	SHAPPS	Opening	Section 1	Shadow"	Star.	Sheet	Elisa	200	2002	Accorded Accorded	Allie .	Sing	2000	2000
_								1.0	- 14	84.45	April	John Ad.	All Art	4000	-200	2000	Date.
1007	CALIF.	CH 797	-CH-79F	100.70	10,01	- 14	1.146					1000		1445	2004	-	
100	7600	-04	207	663	ANTE	Argonia.	ANLINE	2432	0.04	All:	A	2200	22/62	3065	2014		

CHI

Acres 2 (2) 2 (2)

KAS Nº 75-AO

MICRE TENED




What I AM:

- An archaeologist
 - By training and background
 - Don't do much "archaeology" anymore
- NDDOT Cultural Resource Specialist
 - Manage S.106 compliance for NDDOT projects
 - Ensure important resources are considered.
 - Work with archaeological, historical and architectural resources, including bridges.

ND Bridge History – In a Nutshell

- First bridges were natural fords, ferries and improvised crossings.
- Early bridges were typically timber and had little engineering. They frequently washed out.
- Railroads built the first engineered bridges in the late 1800's.
- Late 1800's also saw some of the first iron and steel bridges – typically through truss or pony truss bridges.
- After Highway Commission was formed in 1913 more engineered roadway bridges were built.





Challenges to Historic Bridges 記をおめ If Panks and Dends to conform a ACI Clamber 195-57 FOOTING PLAN

The Challenge of Historic Bridges

Transportation needs change through time

Most of our historic bridges designed for horse and

wagon traffic




SECTION B-B

ABUTMENTS



FOOTINGS FOR APPROACH BENTS

1729	TANGE MALES	ZANT TANT	ANTHE	int	0
Charles Empreyment			178	0.75	
Allewing Throtal Test Allew Jos Plane 188 /F Lo			- 8	Cerb	
Desired Delivered Under Friday Ecosety		500	2400	11077	
Chranele, Blocker Joy	10.2			DOM:	
CHIEF LOCALISANE	2742	4145	200	WE-1	







- All bridges are designed for a finite lifespan called the Design Life.
 - In the 1920s and 30s that Design Life was 30-35 years.
 - Most of our historic bridges have outlived this lifespan, many have outlived their lifespan by several decades.
 - New bridges are now designed for a 75 year life.

Modern safety guidelines frequently mandate changes to historic bridge and guard rail

All contact surfaces shell be milled boths. The parts are waided tage her. Double Declara: at each bearing as small be steem relieved after welding. documination with A.M.S. Specification for

Liability and risk of aging bridges difficult to

offset






North Dakota DOT Historic Bridge Restoration Program


Seek bridges that can still serve the traffic levels:


- Typically not on mainline roadways (counties cities)
- Motivated owner/sponsor
- Nearby alternatives on better transportation routes limit traffic and loads over bridge
- Rehabilitate the bridge to make it safe
 - New abutments
 - New piers
 - New deck
 - Rehabilitate truss



ND project number

NDDOT Bridge Rehabilitation




















































































NDDOT Historic Bridge Restoration

Robert Christensen

NDDOT

ETS – Cultural Resource Section

701-328-4539 rchriste@nd.gov